

Simulation Validation Epistemics in a Geant4 Case Study



T. Basaglia¹, M. C. Han², G. Hoff³, C. H. Kim³, S. H. Kim³, P. Saracco⁴

¹CERN, ²Hanyang University, Seoul, Korea, ³UERJ, Nova Friburgo, Brazil, ⁴INFN Genova, Italy

IEEE NSS 2016

Strasbourg, France, 2 November 2016



Lessons learned from...

>3 years with Geant4 electron backscattering

IEEE TRANSACTIONS ON NUCLEAR SCIENCE, VOL. 62, NO. 2, APRIL 2015 451 Validation Test of Geant4 Simulation of **Electron Backscattering** Sung Hun Kim, Maria Grazia Pia, Tullio Basaglia, Min Cheol Han, Gabriela Hoff, Chan Hyeong Kim, and 29 pages Paolo Saracco 1805 IEEE TRANSACTIONS ON NUCLEAR SCIENCE, VOL. 62, NO. 4, AUGUST 2015 Investigation of Geant4 Simulation of **Electron Backscattering** Tullio Basaglia, Min Cheol Han, Gabriela Hoff, Chan Hyeong Kim, Sung Hun Kim, Maria Grazia Pia, and 8 pages Paolo Saracco This article has been accepted for publication in a future issue of this journal, but has not been fully edited. Content may change prior to final publication. Citation information: DOI 10.1109/TNS.2016.2617834, IEEE Transactions on Nuclear Science Quantitative Test of the Evolution of Geant4 **Electron Backscattering Simulation**

Tullio Basaglia, Min Cheol Han, Gabriela Hoff, Chan Hyeong Kim, Sung Hun Kim, Maria Grazia Pia, and Paolo

Saracco

2

18 pages





Simulation ingredients

- Cross sections
- Angular distributions
- Secondary particle spectra
- Atomic parameters
- Nuclear parameters
- ..

Unit test

Validating Geant4 (MCMP, EGS, Penelope, FLUKA etc.) cross sections, ...

Simulation use case

- A simulated model of an experimental scenario
 - Geometry
 - Materials
 - Detector response
 - ..
 - Monte Carlo transport code
- Simulated observable

Full simulation

dependencies

Validating Geant4 (MCMP,

EGS, Penelope, FLUKA etc.)

Maria Grazia Pia, INFN Genova

The background: 2007-2013

2934

IEEE TRANSACTIONS ON NUCLEAR SCIENCE, VOL. 60, NO. 4, AUGUST 2013

exp. 9.1 9.2 9.3 9.4 E/∆x (MeV cm²/g) 9.5 9.6 C: 1 MeV, 0° 0.0 0.2 0.4 0.6 0.8 Fraction of CSDA range 1.0 EEDL-EPDL Penelope Standard 0.8 0.6 efficiency 0.4 0.2 0.0 9.1 9.2 9.3 9.6 9.4 9.5

Validation of Geant4 Simulation of Electron Energy Deposition

Matej Batič, Gabriela Hoff, Maria Grazia Pia, Paolo Saracco, and Georg Weidenspointner

Target	Ζ	Е	angle	Geant4 version						
		(kev)	(degrees)	9.1	9.2	9.3	9.4	9.5	9.6	
Be	4	58	0	0.071	0.014	0.124	0.311	0.149	0.156	
Be	4	109	0	0.021	< 0.001	< 0.001	< 0.001	0.015	0.013	
Be	4	314	0	0.015	0.764	< 0.001	< 0.001	0.013	0.014	
Be	4	521	0	0.092	0.967	< 0.001	< 0.001	0.832	0.793	
Be	4	1033	0	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	
C	6	1000	0	0.917	0.994	< 0.001	< 0.001	0.290	0.346	
Al	13	314	0	0.182	< 0.001	< 0.001	< 0.001	0.004	0.007	
Al	13	521	0	0.574	< 0.001	< 0.001	< 0.001	0.091	0.089	
Al	13	1033	0	0.484	0.123	< 0.001	< 0.001	< 0.001	< 0.001	
Al	13	314	60	0.396	0.596	< 0.001	< 0.001	0.001	0.002	
Al	13	521	60	0.137	0.011	0.001	< 0.001	0.056	0.086	
Al	13	1033	60	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	
Fe	26	300	0	0.832	< 0.001	0.351	0.741	0.787	0.742	
Fe	26	500	0	0.055	< 0.001	0.314	0.003	0.814	0.808	
Fe	26	1000	0	< 0.001	< 0.001	0.169	0.003	< 0.001	< 0.001	
Cu	29	300	0	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	
Cu	29	500	0	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	
Mo	42	100	0	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	
Mo	42	300	0	0.062	< 0.001	0.001	< 0.001	0.008	0.002	
Mo	42	500	0	0.020	< 0.001	< 0.001	0.001	0.128	0.115	
Mo	42	1000	0	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	
Mo	42	300	60	0.023	0.002	0.049	0.043	0.029	0.022	
Mo	42	500	60	0.022	< 0.001	0.011	0.006	0.003	0.007	
Mo	42	1000	60	0.037	< 0.001	0.010	0.028	0.001	0.002	
Ta	73	300	0	0.043	0.511	0.242	0.272	0.364	0.294	
Та	73	500	0	0.025	0.003	< 0.001	< 0.001	0.012	0.019	
Ta	73	1000	0	0.030	< 0.001	< 0.001	< 0.001	0.002	0.001	
Ta	73	500	60	0.011	0.003	0.040	0.042	0.010	0.007	
Ta	73	1000	60	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	
Та	73	500	30	0.034	0.005	0.004	0.006	0.020	0.017	

Hint at effects of multiple scattering simulation

Geant4 version





Geant4 electron multiple and single electron scattering **processes**

Urban Goudsmit-Saunderson WentzelVI eCoulombScattering eSingleCoulombScattering **models**

EmStandard EmLivermore EmStandard_option1 EmStandard_option2 EmStandard_option3 EmStandard_option4 EmStandard_WVI EmStandard_SS EmStandard_GS PhysicsConstructors

9.1-10.2 (except 9.5) Geant4 versions

Experimental data

- Collected from the literature: 1947-2008
 - >3000 measurements
 - Z = 4-92
 - Electron energy: 78 eV 22.2 MeV



not with another Monte Carlo code, with analytical calculations

- Many experimental papers do not report errors at all
- Many papers only report statistical uncertainties, neglecting sources of systematic errors
- Risk of underestimated experimental errors
 - Uncertainties differ even by an order of magnitude among measurements performed with similar techniques by different groups
- Inconsistencies in the experimental data (systematics)
 - Rely on statistical analysis of a large data sample to infer conclusions regarding Geant4 validation

Quantitative, objective Statistics Hypothesis testing

Goodness-of-Fit testing

Simulation compatible with experiment?

Categorical data testing

Equivalent compatibility with experiment?



- %
- good agreement
- excellent agreement
- satisfactory agreement

Maria Grazia Pia, INFN Genova





Energy (keV)

9

10⁴



Beware:

In an experimental use case we test the **physics of the simulation** along with **all its dependencies**

Partly fixed, fixed

Target displaced by 1 pm / 1 μ m / 1 mm

------ WWWW ------ G4Exception-START ------ WWWW ------*** G4Exception : GeomNav1002

issued by : G4Navigator::ComputeStep()

Track stuck or not moving.

Track stuck, not moving for 10 steps
in volume -Inside- at point (0,0,0)
direction: (-0,0,1).

Potential geometry or navigation problem !

Trying pushing it of 1e-07 mm ...Potential overlap in geometry!

*** This is just a warning message. *** ------ WWWW ------ G4Exception-END ------ WWWW ------



Geant4 10.1p02 👄 10.2 🔿 10.1p03

Laundry detergents, swans and PhysicsLists

any other washing powder! Tcouple of towels, or handkerchiefs, or washing powder? Because it washes *cleaner*? Geant4 User's Guide for pillow-slips. Follow the instructions on the The Persil laboratories make sure that Persil packets and wash one article in Persil, the other is always one step ahead of any other washing **Application Developers** in any other washing powder you choose. One powder! article will come up whiter than the other - much And Persil is kind to all your washwhiter ! WE SAY IT WILL BE THE PERSIL woollens, coloureds, fine things. The **BIGGEST-SELLIN** vashing pow in the countr PERSIL BEATS THE LOT Version: geant4 10.1 Publication date 5 December 2014 DO TAKE CARE OF YOUR HANDS en are now thinking twice about using deter t are harsh to their ssing of Persil is that it is always kind to you -you can feel it is! L washes **Geant4 Collaboration** - and that means CLEANER!

that Persil washes whiter than

5.2.1.1. Electromagnetic Processes

• Combination of best EM models for simulation with high accuracy



modus tollens





Maria Grazia Pia, INFN Genova

5.2.1.1. Electromagnetic Processes

• Combination of best EM models for simulation with high accuracy (class name G4EmStandardPhysics_option4)



 $p-value_{Boschloo} = 0.003$

Which is the best prepackaged PhysicsList in this experimental scenario?

Efficiency

evolution with Geant4 version

		1-20	keV			20-100) keV		\geq 100 keV			
Configuration	10.1p03	10.2	10.2p01	10.2p02	10.1p03	10.2	10.2p01	10.2p02	10.1p03	10.2	10.2p01	10.2p02
EmLivermore	$0.13{\pm}0.03$	$0.11 {\pm} 0.03$	$0.11 {\pm} 0.03$	$0.11 {\pm} 0.03$	$0.29{\pm}0.04$	$0.24{\pm}0.04$	$0.24{\pm}0.04$	$0.25 {\pm} 0.04$	$0.61 {\pm} 0.06$	$0.61 {\pm} 0.06$	$0.61 {\pm} 0.06$	0.61 ± 0.06
EmStd	$0.13{\pm}0.03$	$0.08{\pm}0.03$	$0.08{\pm}0.03$	$0.08{\pm}0.03$	$0.19{\pm}0.04$	$0.16{\pm}0.03$	$0.16{\pm}0.03$	$0.16{\pm}0.03$	$0.71{\pm}0.06$	$0.86{\pm}0.05$	$0.86{\pm}0.05$	$0.86{\pm}0.05$
EmOpt1	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	$0.41{\pm}0.06$	$0.39{\pm}0.06$	$0.39{\pm}0.06$	$0.39 {\pm} 0.06$
EmOpt2	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	$0.41{\pm}0.06$	$0.39{\pm}0.06$	$0.39{\pm}0.06$	$0.39 {\pm} 0.06$
EmOpt3	$0.21{\pm}0.03$	$0.17{\pm}0.03$	$0.17{\pm}0.03$	$0.17{\pm}0.03$	$0.14{\pm}0.03$	$0.19{\pm}0.04$	$0.19{\pm}0.04$	$0.19{\pm}0.04$	$0.68{\pm}0.06$	$0.75{\pm}0.06$	$0.75{\pm}0.06$	$0.75 {\pm} 0.06$
EmOpt4	$0.23{\pm}0.03$	$0.10{\pm}0.03$	$0.10{\pm}0.03$	$0.10{\pm}0.03$	$0.21 {\pm} 0.04$	$0.24{\pm}0.04$	$0.24{\pm}0.04$	$0.24{\pm}0.04$	$0.73{\pm}0.06$	$0.66{\pm}0.06$	$0.66{\pm}0.06$	$0.68 {\pm} 0.06$
EmWVI	$0.45{\pm}0.04$	$0.36{\pm}0.04$	$0.36{\pm}0.04$	$0.36{\pm}0.04$	$0.46{\pm}0.05$	$0.47{\pm}0.05$	$0.47{\pm}0.05$	$0.47{\pm}0.05$	$0.82{\pm}0.05$	$0.82{\pm}0.05$	$0.82{\pm}0.05$	$0.82 {\pm} 0.05$
EmSS	$0.46{\pm}0.04$	$0.35 {\pm} 0.04$	$0.35{\pm}0.04$	$0.35 {\pm} 0.04$	$0.51{\pm}0.05$	$0.53{\pm}0.05$	$0.53{\pm}0.05$	$0.53{\pm}0.05$	$0.82{\pm}0.05$	$0.82{\pm}0.05$	$0.82{\pm}0.05$	$0.82 {\pm} 0.05$
EmGS		$0.58 {\pm} 0.04$	$0.58 {\pm} 0.04$	$0.58 {\pm} 0.04$		$0.18 {\pm} 0.04$	$0.19 {\pm} 0.04$	0.19 ± 0.04		$0.54{\pm}0.06$	$0.50 {\pm} 0.06$	0.50 ± 0.06

Model equivalence

dependence on energy

		EmGS <20	keV			EmS	S 20-100	keV		EmStd ≥100 keV				
Configuration	Fisher χ^2 Z-pooled Boschloo CSM		Fisher	Fisher χ^2 Z-pooled Boschloo			CSM	Fisher	χ^2	χ^2 Z-pooled I		CSM		
EmLivermore	< 0.001 <	< 0.001 < 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	0.005	0.003	0.003	0.003	0.003
EmStd	< 0.001 <	< 0.001 < 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001					
EmOpt1	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001		< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001
EmOpt2	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001		< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001
EmOpt3	< 0.001 <	< 0.001 < 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	0.234	0.154	0.209	0.176	0.274
EmOpt4	< 0.001 <	< 0.001 < 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	0.043	0.025	0.029	0.029	0.038
EmŴVI	< 0.001 <	< 0.001 < 0.001	< 0.001	< 0.001	0.504	0.423	0.532	0.462	1.000	0.798	0.607	0.681	0.653	1.000
EmSS	< 0.001 <	< 0.001 < 0.001	< 0.001	< 0.001						0.798	0.607	0.681	0.653	1.000
EmGS					< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001

Maria Grazia Pia, INFN Genova One size does NOT fit all

Better the devil you know than the one you don't know

Devils and Goudsmit-Saunderson



Efficiency

	Geant4 10.1p03	Geant4 10.2p02
GS	0.77 ± 0.06	0.55 ± 0.06
GS _{BRF}	0.95 ± 0.03	0.55 ± 0.06
GS _{PWA}		0.61 ± 0.06

Compatibility with experiment $model_{old}$ vs. $model_{new}$: **p** < 0.001 (*Fisher, Boschloo, Z-pooled, Barnard, \chi^2*)

	1-20 keV					20-10	0 keV		$\geq 100 \text{ keV}$			
Configuration	10.1p03	10.2	10.2p01	10.2p02	10.1p03	10.2	10.2p01	10.2p02	10.1p03	10.2	10.2p01	10.2p02
GS	0.51 ± 0.04	$0.57 {\pm} 0.04$	$0.56 {\pm} 0.04$	$0.56 {\pm} 0.04$	$0.32 {\pm} 0.04$	$0.18 {\pm} 0.04$	$0.16 {\pm} 0.04$	$0.16 {\pm} 0.04$	$0.77 {\pm} 0.06$	$0.52 {\pm} 0.07$	$0.55 {\pm} 0.06$	0.55 ± 0.06
GSBRF	$0.37 {\pm} 0.04$	$0.38{\pm}0.04$	$0.57 {\pm} 0.04$	$0.57{\pm}0.04$	$0.51{\pm}0.05$	$0.46{\pm}0.05$	$0.14{\pm}0.05$	$0.14{\pm}0.05$	$0.95{\pm}0.03$	$0.61{\pm}0.06$	$0.55 {\pm} 0.06$	0.55 ± 0.06
GSBRF1		$0.35 {\pm} 0.04$	$0.42 {\pm} 0.04$	$0.42{\pm}0.04$		$0.45 {\pm} 0.05$	$0.44 {\pm} 0.05$	$0.45{\pm}0.05$		$0.61{\pm}0.06$	$0.59 {\pm} 0.06$	0.57 ± 0.06
GSERF		$0.32{\pm}0.04$	$0.31 {\pm} 0.04$	$0.32 {\pm} 0.04$		$0.49 {\pm} 0.05$	$0.43 {\pm} 0.05$	$0.46{\pm}0.05$		$0.63{\pm}0.06$	$0.61{\pm}0.06$	0.59 ± 0.06
GSPWA		$0.15{\pm}0.03$	$0.15 {\pm} 0.03$	$0.15{\pm}0.03$		$0.17 {\pm} 0.04$	$0.15 {\pm} 0.04$	$0.15{\pm}0.04$		$0.61{\pm}0.06$	$0.61{\pm}0.06$	0.61 ± 0.06
GSPWABRF		$0.39 {\pm} 0.04$	$0.16 {\pm} 0.04$	$0.16{\pm}0.04$		$0.44 {\pm} 0.05$	$0.11 {\pm} 0.05$	$0.11 {\pm} 0.05$		$0.57{\pm}0.06$	$0.55 {\pm} 0.06$	0.55 ± 0.06
GSPWAERF		$0.44 {\pm} 0.04$	$0.44 {\pm} 0.04$	$0.44 {\pm} 0.04$		$0.51 {\pm} 0.04$	$0.46 {\pm} 0.04$	$0.47 {\pm} 0.04$		$0.52 {\pm} 0.07$	$0.55 {\pm} 0.07$	0.55 ± 0.07

Incorrect OR slow?

G4eSingleCoulombScatteringModel based on Mott cross section



Distilled wisdom detailed results \rightarrow papers



- Understand your experimental context
- Master the simulation problem domain
- Beware of dependencies in your simulation
- Trust objective, quantitative validation references
 - Do not trust laundry detergent advertisement
- Sometimes new is better than old, sometimes it is not
- Collect and evaluate pertinent experimental data
 - Many, from different experiments, if possible
 - All what shines *(is published)* is not gold...
- Use statistics to compare simulation and experiment

Measure, measure, measure...

Epistemology of science

Statistical data analysis