Geant4 Simulation of Very Low Energy Electromagnetic Interactions

R. Capra¹, Z. Francis², S. Incerti³, G. Montarou², Ph. Moretto³, P. Nieminen⁴, M. G. Pia¹

¹ INFN Sezione di Genova; I-16146 Genova, Italy

² Clermont-Ferrand; Laboratoire de Physique corpusculaire, Clermont-Ferrand, France

³ Centre d'Etudes Nucléaires de Bordeaux-Gradignan, CNRS/IN2P3, Université Bordeaux 1; F-33175 Gradignan cedex, France

⁴ European Space Agency; 2200 AG Noordwijk, The Netherlands

Spenvis & Geant4 Workshop – 3-7 October 2005

The Geant4 Low Energy EM Physics^{1/4}

- Models based on Livermore evaluated data libraries
 - Electrons and Photons processes
 - Validity range 250 eV 100 GeV
 - Elements from Z=1 to Z=100
 - Validated against reference data

Models originated from the Penelope Monte Carlo Code

- Electrons and Photons processes
- Validity down to ~ 100 eV
- Validated against reference data
- Models for ions and hadrons
 - Composition of models, including ICRU and Ziegler parametrisations
- Validity down to ~ 1 keV Spenvis & Geant4 Workshop - 3-7 October 2005 - R. Capra

The Geant4 Low Energy EM Physics^{2/4}

- Photons processes based on Livermore data
 - Compton scattering (polarised and unpolarised)
 - Klein-Nishina formula + corrections based on EPDL97 (Evaluated photons data library)
 - Angular distribution based on EPDL97
 - Rayleigh scattering (polarised and unpolarised)
 - As Compton scattering
 - Photoelectric effect
 - Total cross-section and shell selection according to EPDL
 - Deexcitation via the atomic relaxation
 - Gamma conversion
 - Bethe-Heitler cross-sections + Coulomb corrections
 - Angular distribution according Tsai differential cross-section

The Geant4 Low Energy EM Physics^{3/4}

Electrons processes based on Livermore data

Bremsstrahlung

- Total cross section based on EEDL (Evaluated electrons data librabry)
- Angular distribution can be chosen from three models Modified Tsai, 2BS, 2BN

Electron ionisation

Parametrisation based on 5 parameters for each shell

Auger effect

Based on Livermore libraries

PIXE

- Data driven model based on Paul et Sacher evaluated data library
- Atomic relaxation processes based on Livermore data
 - Based on EADL (Evaluated atomic data library)
 - From Z>5

The Geant4 Low Energy EM Physics^{4/4}


- Penelope Monte Carlo code re-engineered into Geant4
 - Except for multiple scattering
 - Models for protons and electrons
- Validation
 - See Wednesday M. G. Pia talk
 - All Geant4 physics models for electrons, photons, protons and alpha particles has been validated against NIST database
 - Photoelectric, Compton, Rayleigh, pair production cross-sections
 - Photon attenuation coefficients
 - Electron, proton, α stopping power and range
 - Rigorous and quantitative approach

Lower energies extensions^{1/2}

- The extension to lower energies is an important issue both for manned and unmanned space missions
 - The radiation hazard to the crew is critical to the feasibility of interplanetary space missions
 - The REMSIM project has performed a first evaluation of the radiation damage to astronauts
 - The Geant4-DNA activity currently in progress will allow in-depth understanding the effects of radiation on astronauts
 - The radiation effects on electronics are critical to the successful operation of a mission
 - Gaining an understanding of the physical effects of radiation down to the electronvolt scale opens the possibility for microdosimetry and nanodosimetry studies in components of interest for a variety of ESA space missions
- The issue of lower energy extensions has been pointed out in the last year ESA Round Table on radiation effects software

Lower energies extensions^{2/2}

- The complexity of the physics processes involved and the need to account for the materials makes the project challenging
- Moreover it is difficult to find reliable data for the physics validation
 - Electron backscattering on Au, Al, Si from a database of experimental data compiled by David C. Joy (University of Tennessee) and compared with Geant4 LowE 5.2 (• Red)



Approaches

- Extension of validity of the Livermore libraries
 - > In principle these libraries provides data down to $\sim 10 \text{ eV}$
 - The huge task consists in the validation of the models against reliable reference data for all the materials
 - Could be necessary to develop corrections
- Development of step-by-step multiple scattering models
 - Available in literature, materials-dependent
- Development of models to describe the interactions with a specific material
 - Available in literature (water, silicon, air, etc...)
 - Great care must be taken in the design of the code in order to have a maintainable framework

Condensed models limitations^{1/2}

- Currently Geant4 implements a condensed (integrated) model for the elastic scattering
 - This is motivated by the fact that a step-by-step simulation is rather CPU expensive
 - Based on the Lewis theory
 - Quite complete and accurate theory, but in the hypothesis of infinite medium
 - This means that steps near or crossing the interface between two media must be considered with particular care

Condensed models limitations^{2/2}

- Event-by-event even if CPU expensive are more precise and simple to handle
 - Moreover it is easier to find in literature accurate models for single interaction processes
- An alternative hybrid approach is the one of Penelope Monte Carlo
 - Interactions below a fixed angle q are simulated as condensed, while interactions above that angle are simulated in detail
 - Most of the interaction have small deflection angles
 - While problems with condensed models are mainly due to interactions with large deflections


- At the end of May a working group has been formed for the development of low energy processes in the water medium within the Geant4-DNA project
 - Goal of the working group was the development of step-by-step electromagnetic interactions for
 - Electrons between 7 eV and 10 keV
 - Protons and alpha particles between 1 keV and 10 MeV
 - The processes considered are
 - Elastic scattering (relevant only for electrons)
 - Excitation of liquid water molecules
 - Ionization of liquid water molecules

Elastic scattering

- Step by step model
- Relevant only for electrons

$$e^- + H_2^0 \rightarrow e^- + H_2^0$$

- Analytical total cross section between 7.5 eV and 10 keV
- Two analytical angular distribution models
 - Brenner model between 7.5 and 200 eV
 - Emfietzoglou model between 200 eV and 10 keV
- Electrons below 7.5 eV must be killed and energy must be deposited (UR)
- Water molecule tracking after interaction is neglected



Ionization processes

Step by step model

 $p + H_2^0 \rightarrow p + H_2^{0^+} + e^- + Energy Deposit$

- Six incoming particles considered¹
 - ▶ e⁻, p, H, α^{++} , α^{+} , He
- 5 different ionization levels
 - Energy deposit depends on the ionization level
- Total cross sections (for each ionization level) are tabulated
 - Tables are precalculated and stored in files
- Angular distribution of the outgoing electron is analytical
 - Each incoming particle has a different model
- Energy distribution of the outgoing electron is
 - Analytical for protons below 300 keV
 - Based on tables for protons above 300 keV and other particles
 - Tables for outgoing electrons must interpolate on two parameters (Energy of the incoming particle, Energy of the outgoing electron)

Ionized water molecule tracking after interaction is neglected

p energy distribution	Analytical	Tabulated	
e ⁻ , H, α^{++} , α^{+} , He energy distribution		Tabulated	
Spenvis & Geant4 Workshop – 3-7 Octol	per 2005 – R. Capra		13

Electrons exchange

- Step by step model
- Three incoming particles considered
 - p, α⁺⁺, α⁺
 - $\triangleright \alpha^{++}$ can strip one or two electrons to the water molecule
- Total cross sections
 - Analytical for protons
 - Tables for alphas
- Energy of the outgoing particle and the energy deposit depend on the incoming particle and on the number of electrons stripped
- Direction changes are neglected
- Ionized water molecule tracking after interaction is neglected
- Three incoming particles considered
 - ► H, α⁺, He
 - $\triangleright \alpha$ can release one or two electrons
- Tabulated total cross section
- Energy of the outgoing particle and the energy deposit depend on the incoming particle and on the number of electrons stripped
- Direction changes are neglected for both particles and electrons
- Water molecule tracking after interaction is neglected

 $p + H_2^{}0 \rightarrow H + H_2^{}0^+ + Energy Deposit$

$$H + H_2^0 \rightarrow p + H_2^0 + e^- + Energy Deposit$$

Excitation


- Step by step model
- Six incoming particles considered
 - ▶ e⁻, p, H, α^{++} , α^{+} , He
- Excited water molecules are not described
 - Excitation energy is deposited
- 5 different excitation levels
 - Energy deposit depends on the excitation level
- Total cross sections (for each excitation level)
 - Analytical for protons
 - Tables for other particles
- Direction changes are neglected
- Excited water molecule tracking after interaction is neglected

$$p + H_2 0 \rightarrow p + H_2 0^*$$

Software process


- The development of this set of processes has adopted a rigorous software process
 - Requirements
 - Vision document
 - User requirement document
 - Both available in the Geant4 documentation CVS repository
 - Analysis and design
 - Design model
 - Available in the Geant4 documentation CVS repository
 - Implementation
 - Developed code is available in the Geant4 CVS repository
 - Testing
 - Unit test
 - Validation (some results will be produced for December release)
 - Traceability

Problems domain decomposition




Design overview^{1/2}

Design mainly due to the Genoa group




Design overview^{2/2}




Status and release plans

- For the December release probably all the processes will be implemented and tested
 - It is expected to start the validation process before the December release
- Currently implemented processes
 - Implementation work mainly due to Clermont-Ferrand and Bordeaux
 - All processes implemented have passed the unit tests



Neglected

	Electrons	Protons (H+)	Hydrogen (H) Alpha (He++)		He+	He	
Elastic	Brenner (7.5 - 200 eV)	Neglected	Neglected	Neglected	Neglected	Neglected	
	Emfietzoglou (> 200 ev)	Neglected	Neglected	Neglected	Neglected	Neglected	
Excitation	Emfietzoglou	Miller and Green	Neglected	Miller and Green	Miller and Green	Miller and Green	
	Born (7 ev – 10 keV)	Born (100 eV – 10 MeV)	Neglected	(1 keV – 15 MeV)	(1 keV – 15 MeV)	(1 keV – 15 MeV)	
Charge decrease	Does not apply	Dingfelder	Does not apply To be done	To be done	To be done	Does not apply	
Charge decrease		(100 eV – 2 MeV)	Does not apply	TO be done	TO be done	Does not apply	
Charge increase	Does not apply	Does not apply	Miller and Green Dingfelder	Does not apply	To be done	To be done	
Charge increase	Does not apply	Does not apply	(0.1 Kev – 100 MeV)	Does not apply			
Ionization	To be done	Rudd (0.1 - 500 keV)	Rudd (0.1 – 100 MeV)	To be done	To be done	To be done	
ισπεαισπ	TO be done	To be done (> 500 keV)		To be done	to be done	ro be done	



Review of the work in progress^{1/5}

- In order to minimize the code duplication each process is obtained using three classes
 - Total cross section (Half of the processes use tabulated total cross sections)
 - Final states distributions (Each model has a different final state distribution)
 - Process kinematics (5 kinematics categories)
- This choice is essential in order not to duplicate portions of code in several processes (like the kinematics of the process or the access to a file)
 - Each distribution, total cross-section has its reference
 - However this means a lot of files/classes
 - 14 processes developed up to now
 - 33 classes
 - 65 files

This puts some difficulties in the management of all these files Spenvis & Geant4 Workshop - 3-7 October 2005 - R. Capra

Review of the work in progress^{2/5}

Total cross sections

	Electrons	Protons (H+)	Hydrogen (H) Alpha (He++)		He+	He	
Elastic	Brenner (7.5 - 200 eV)	enner (7.5 - 200 eV) Neglected Neglected		Neglected	Neglected	Neglected	
Liastic	Emfietzoglou (> 200 ev)	- J	-5	-5	-5		
Excitation	Emfietzoglou	Miller and Green	Neglected	Miller and Green	Miller and Green	Miller and Green	
	Born (7 ev – 10 keV)	Born (100 eV - 10 MeV)	Neglected	(1 keV – 15 MeV)	(1 keV – 15 MeV)	(1 keV – 15 MeV)	
Charge decrease	Does not apply	Dingfelder	Does not apply To be done	To be done	To be done	Does not apply	
Charge decrease	Dues not apply	(100 eV – 2 MeV)	Does not apply	TO DE GONE	TO DE GONE	μους ποι αρριγ	
Chargo increase	Does not apply	Does not apply	Miller and Green Dingfelder	Does not apply	To be done	To be done	
Charge increase	Does not apply	Does not apply	(0.1 Kev – 100 MeV)	Does not apply	TO DE GONE	TO be done	
Ionization	To be done	Rudd (0.1 - 500 keV)	Rudd (0.1 – 100 MeV)	To be done	To be done	To be done	
Ionization	To be done	To be done (> 500 keV)	Rudu (0.1 – 100 MeV)	TO DE CONE	TO DE UONE	ro be done	

Final states

	Electrons	Protons (H+)	Hydrogen (H)	Hydrogen (H) Alpha (He++)		He	
Elastic	Brenner (7.5 - 200 eV)	Neglected	Neglected	Neglected	Neglected	Neglected	
EldSIIC	Emfietzoglou (> 200 ev)	Neglected	Neglected	Neglected	Neglected	Neglected	
Excitation	Emfietzoglou	Miller and Green	Neglected	Miller and Green	Miller and Green	Miller and Green	
	Born (7 ev – 10 keV)	Born (100 eV – 10 MeV)	Neglected	(1 keV – 15 MeV)	(1 keV – 15 MeV)	(1 keV – 15 MeV)	
Charge decrease	Does not apply	Dingfelder	Does not apply	To be done	To be done	Does not apply	
Charge decrease		(100 eV – 2 MeV)	Does not apply	TO be done	TO be done	Does not apply	
Charge increase	Does not apply	Does not apply	Miller and Green Dingfelder	Does not apply	To be done	To be done	
Charge increase	Does not apply		(0.1 Kev – 100 MeV)	Does not apply	TO DE GONE	i o de done	
Ionization	To be done	Rudd (0.1 - 500 keV)	Rudd (0.1 – 100 MeV)	To be done	To be done	To be done	
ισπιζαιισπ	To be done (> 500 keV)		Tudu (0.1 - 100 MeV)	to be done	to be done	to be done	

Review of the work in progress^{3/5}

Kinematics

	Electrons	Protons (H+)	Hydrogen (H)	Alpha (He++)	He+	He	
Elastic	Brenner (7.5 - 200 eV)	Neglected	Neglected	Neglected	Neglected	Neglected	
	Emfietzoglou (> 200 ev)	3	5	5	5	5	
Excitation	Emfietzoglou	Miller and Green	Neglected	Miller and Green	Miller and Green	Miller and Green	
	Born (7 ev – 10 keV)	Born (100 eV – 10 MeV)	Neglected	(1 keV – 15 MeV)	(1 keV – 15 MeV)	(1 keV – 15 MeV)	
Charge decrease	Does not apply	Dingfelder	Does not apply	To be done	To be done	Does not apply	
Charge decrease	Does not apply	(100 eV – 2 MeV)	Does not apply	TO DE done	To be done		
Charge increase	Deer wet each.	Dess wet such	Miller and Green	Dees not such	Ta ha dawa	Te he dene	
Charge increase	Does not apply	Does not apply	Dingfelder (0.1 Kev – 100 MeV)	Does not apply	To be done	To be done	
lonization	To be done	Rudd (0.1 - 500 keV)	Rudd (0.1 – 100 MeV)	To be done	To be done	To be done	
Ionization	To be done	To be done (> 500 keV)	Rudu (0.1 – 100 MeV)	TO DE GONE	To be done	to be done	

- Supporting classes
 - 3 classes
 - 6 files

Review of the work in progress^{4/5}

- The same unit test is used to check all the processes separately
 - This allows developing a unique detailed, reliable and flexible unit test
 - Allows comparing different processes that operate on the same particles and in the same energy range
- The choice of Policy based classes
 - In principle a Strategy pattern could give the same results
 - But with worse performances
 - Templates classes have some more flexibility
 - We expect some extra work in the integration test phase
 - As template classes are a rather new C++ feature is, we expect some extra work to let the code build on all supported platform
 - Integration test will start soon in order to have the code ready for December release

Review of the work in progress^{5/5}

Overview of the development phases

- After an initial phase of
 - Design of the code
 - Training
 - Development of the supporting classes

The development is going rather fast and independently

June	July		August	
Requirement documents	Development supporting classes			
Design	Training and development of few proces	sses		

September		October		November	
Support		Development of supporting	g classes	Integration tests	
Development of the processes				Validation	

December	Mainly together
Release	Genoa
	Clermont-Ferrand / Bordeaux

Conclusions


- It has been presented the current status of the Low Energy Package
 - Models currently implemented cover a range of energies down to 100-200 eV
 - Extensions to lower energies are feasible
 - Validating the Livermore processes down to 10 eV
 - Developing step-by-step material dependent models
- Processes based on the second approach has been recently developed for water material
 - The encouraging results
 - All the planned processes should be released in December
- The same approach could be used for other materials (silicon, air, etc.)
 - The design phase and the file management need extra care
 - A lot of models with limited validity (energy range/materials)

Risk of code duplication and problems in the management of the files Spenvis & Geant4 Workshop - 3-7 October 2005 - R. Capra

Extra slides

Policy based classes

- The design makes deep use of policy based classes
 - There classes are parametrized classes that implement an algorithm delegating some operations to their class parameters, called policies
 - Policy based classes have something in common with Strategy pattern



- But with some difference
 - Do not require that policies inherit from specific base classes
 - This means a weaker dependency of the policy and the policy based class from the policy interface. In complex situations this makes a design more flexible and open to extensions
 - They are compile bound
 - In other words there is no need of virtual methods, resulting in faster execution code