



















M. G. Pia¹, T. Basaglia², Z. W. Bell³, P. V. Dressendorfer⁴

¹INFN Genova, Genova, Italy ²CERN, Geneva, Switzerland ³ORNL, Oak Ridge, TN, USA ⁴IEEE, Piscataway, NJ, USA

CHEP 2013IEEE NSS 2013AmsterdamSeoul, Korea



God's particle

'God particle': New particle found, could be the Higgs boson, CERN scientists say

CERN scientists have discovered a new subatomic particle that could be elusive Higgs boson, which is believed THE TIMES OF INDI to be crucial in formation of universe.

SOCIEDAD | TRABAJOS EN EL GRAN COLISIONADOR DE HADRONES

Anuncian el descubrimiento de lo que podría ser la "partícula de Dios"

04/07/12 | La Organización Europea para la Investigación Nuclear (CERN) anunció este miércoles el descubrimiento de una nueva partícula que podría ser el bosón de Higgs, aunque todavía es demasiado pronto para saber si se trata de la "partícula de Dios" que... 4/7/2012

Scientists discover 'god-like' particle

After a quest spanning nearly half a century, physicists on Wednesday said they

had found a new sub-atomic particle consistent with the Higgs Boson which is

believed to confer mass

Tækni & vísindi | mbl | 4.7.2012 | 10:10

Guðseindin fundin? 🛋

Vísindamenn við CERN eru nú á blaðamannafundi þar sem fram kom að þeir telji sig hafa fundið sterkar vísbendingar um svokallaða Higgs-bóseind, en hún er stundum nefnd Guðseindin. Vísindamennirnir taka fram að frekari vísbendinga sé þörf til að staðfesta

Descoberta nova partícula coerente com a 'partícula de Deus' Amazônia

04 Jul 2012 . 07:40 h

Physicists Find Particle That Could Be the Higgs Boson - The New york Times

Researchers said they had discovered what looked for all the world like the Higgs boson, a long-sought particle that could lead to a new ...

July 4, 2012 - By DENNIS OVERBYE - Science - Article - Print Headline: "Physicists Find Elusive Particle Seen as Key to Universe"





larínX



Kenya



Diário do Amazonas



This scientometric investigation does not have the character of a rigorous, quantitative statistical analysis due to the difficulty of retrieving data from mainstream media sources

Nevertheless, the results provide some **food for thought**...

The few landmark cases we selected are intended to be representative of the field

Selections and omissions are not a judgement of merit!

Data sources

Thomson-Reuters: ISI Web of Knowledge

- CERN subscription: since 1970, conference database not included

• CERN, Fermilab and SLAC press releases

- Limited time coverage
- Limited search facilities

Newspaper web sites

- Some have a search engine
- Search facilities are paying (e.g. FAZ) or with limited free access (e.g. NYT)
- Search engines are usually primitive

• Warning: 2013 statistics covers only a portion of the year



MINUIT

F. James and M. Roos, MINUIT - System for function minimization and analysis of parameter errors and correlations

Comp. Phys. Comm., vol. 10, no. 6, pp. 343-367, 1975 Times Cited: 1330 (on 8 September 2013)

> Computer Physics Communications 10 (1975) 343-367 © North-Holland Publishing Company

> > MINUIT – A SYSTEM FOR FUNCTION MINIMIZATION AND ANALYSIS OF THE PARAMETER ERRORS AND CORRELATIONS

F. JAMES

Data Handling Division, European Organization for Nuclear Research, CH-1211 Geneva 23, Switzerland

and

M. ROOS

Department of Nuclear Physics, University of Helsinki, Sf-00170 Helsinki, Finland



Landmark experimental HEP papers

• J/ψ discovery (citations: 1059, 963)

J. J. Aubert et al., Experimental observation of a heavy particle-J, *Phys. Rev. Lett.* 33, no. 23, pp. 1404-1406, 1974 J. E. Augustin et al., Discovery of a narrow resonance in e+e- annihilation, *Phys. Rev. Lett.* 33, no. 23, pp. 1406-1408, 1974

• τ **discovery** (citations: 574)

M. L. Perl, Evidence for anomalous lepton production in e⁺e⁻ annihilation, *Phys. Rev. Lett.* 35, 20. 22, pp. 1489-1492, 1975

• W and Z₀ observation (citations: 590, 550)

G. Arnison et al., Experimental-observation of isolated large transverse energy electrons with associated missing energy at \sqrt{s} =540 GeV, *Phys. Lett. B* 122, no. 1, pp. 103-116, 1983

G. Arnison et al., Experimental-observation of lepton pairs of invariant mass around 95 GeV/c2 at the CERN SPS collider, *Phys. Lett. B* 126, no. 5, pp. 398-410, 1983

• t quark observation: CDF, D0 (citations: 1005, 888)

F. Abe et al., Observation of top-quark production in pbar-p collisions with the Collider Detector at Fermilab, *Phys. Rev. Lett.* 74, no. 14, pp. 2626-2631,1995

S. Abachi et al., Observation of the Top Quark, Phys. Rev. Lett. 74, no. 14, pp. 2632–2637,1995

Neutrino oscillations (citations: 2906)

Y. Fukuda et al., Evidence for oscillation of atmospheric neutrinos, Phys. Rev. Lett. 81, no. 8, pp. 1562-1567, 1988

• CP violation observation: E832, Belle, BaBar (citations: 346, 361, 335)

A. Alavi-Harati et al., Observation of direct CP violation in K-S,K-L -> pi pi decays, *Phys. Rev. Lett.* 83, no. 1, pp. 22-27, 1999 K. Abe et al., Observation of large CP violation in the neutral B meson system, *Phys. Rev. Lett.* 87, no. 9, p. 091802, 2001 B. Aubert et al. BaBar, Observation of CP violation in the B₀ meson system, *Phys. Rev. Lett.* 87, no. 9, p. 091801, 2001

• Higgs boson observation (citations: 681, 644)

G. Aad et al., Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC, *Phys. Lett. B* 716, no. 1, pp. 1-29, 2012

S.Chatrchyan, Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC, *Phys. Lett. B* 716, no. 1, pp. 30-61, 2012





- 1. ALEPH, DELPHI, L3, OPAL, Search for the standard model Higgs boson at LEP, Phys. Lett. B, vol. 565, no. 1-4, pp. 61-75, 2003.
 - Times Cited: 978
- 2. B. Adeva et al., The construction of the L3 experiment, NIM A 289, no. 1-2, pp. 35-102, 1990
 - Times Cited: **512**
- ALEPH, DELPHI, L3, OPAL, Search for neutral MSSM Higgs bosons at LEP, EPJC 47, no. 3, pp. 547-587, 2006
 Times Cited: 390
- D. Decamp et al., ALEPH A detector for electron-positron annihilations at LEP, NIM A 294, no. 1-2, pp. 121-178, 1990
 - Times Cited: 342
- 5. J. Allison et al., The detector simulation program for the OPAL experiment at LEP, NIM A 317, no. 1-2, pp. 47-74,1992
 - Times Cited: 341
- 6. R. Barate et al. ALEPH Collaboration, **A measurement of the inclusive b -> s gamma branching ratio**, Phys. Lett. B. 429, no. 1-2, pp. 169-187, 1998 Higgs search at LEP b -> s gamma branching ratio



CP violation

- M. Kobayashi, T. Maskawa, CP-violation in renormalizable theory of weak interaction, *Progr. Theor. Phys.* 49, no. 2, pp. 652-657, 1973 – 4272 citations
- A. Alavi-Harati et al. E832, Observation of direct CP violation in K-S,K-L -> pi pi decays, *Phys. Rev. Lett.* 83, no. 1, pp. 22-27, 1999 – 346 citations
- K. Abe et al. Belle, Observation of large CP violation in the neutral B meson system, *Phys. Rev. Lett.* 87, no. 9, p. 091802, 2001 – 361 citations
- B. Aubert et al. BaBar, Observation of CP violation in the B⁰ meson system, *Phys. Rev. Lett.* 87, no. 9, p. 091801, 2001 335 citations





Higgs boson

 ATLAS Collaboration, Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC, *Phys. Lett. B* 716, pp.1-29, 2012

- Times Cited: 730

 CMS Collaboration, Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC, *Phys. Lett. B* 716, pp. 30-61, 2012

- Times Cited: 695

How long is glory going to last?

Canc. Genome Atlas Res. Network, Comprehensive genomic characterization defines human glioblastoma genes and core pathways, Nature 455, pp. 1061-1068, 2008

- Times Cited: 1379



Year IVIALIA GIAZIA FIA, INFIN GELIUVA

1980

2000

2010

1990

1980

Year

Hardware



- B. Aubert et al., The BABAR detector, NIM A 479, no. 1, pp. 1-116, 2002
 Times Cited: 952
- F. Sauli, GEM: A new concept for electron amplification in gas detectors, NIM A 386, no. 2-3, pp. 531-534, 1997
 - Times Cited: 904
- J. L. Wiza, Microchannel plate detectors, NIM 162, no. 1-3, pp. 587-601, 1979
 - Times Cited: 586

Inspired news

James Gillies, head of communication for CERN, admitted that the institute "very shamelessly" uses the collider to build a platform to promote particle physics and said they were always keen to make the most of Holywood's interest. However he added that the organisation is careful to show how the Higgs story was part of a broader push for scientific discovery.

By Ben Riley-Smith 11:55AM BST 07 Jun 2013

The Telegraph

"You have to shout to be heard when it comes to getting science into the media and people to listen," said Professor Lythgoe.

Hannah Devlin Science Editor Published at 12:01AM, June 7 2013



http://www.telegraph.co.uk/science/10105715/God-particle-overhyped-says-man-behind-discovery.html http://www.thetimes.co.uk/tto/science/article3784820.ece

http://www.theaustralian.com.au/news/world/god-particle-no-big-deal-says-scientist-who-predicted-it-peter-higgs/story-fnb64oi6-1226659215259#

24 April 2013

LHCb experiment observes new matter-antimatter difference

24 Apr 2013



Materia e antimateria, un indizio per risolvere il grande mistero dell'universo CORRIERE DELLA SERA

...fatti noi e le stelle mentre l'antimateria, che pur doveva esserci, non ha lasciato traccia, scomparendo del tutto? Ora al cern di Ginevra con l'esperimento LHCb, uno dei quattro innestati nel grande acceleratore Large Hadron Collider, hanno ottenuto...

Categoria: primopiano > Scienze e Tecnologie | Pubblicato il 24 April 2013

Scientists working on the LHCb detector at the Large Hadron Collider have now

announced that they have spotted a slight difference in the way antimatter decays that may go some way to explaining this.



By Richard Gray, Science Correspondent 6:48PM BST 24 Apr 2013



The Telegraph

Maria Grazia Pia, INFN Genova

Press Office

ATHENA's antihydrogen



Physicists' Antimatter Recipe Is More Sci- Than Fi

By DENNIS OVERBYE Published: September 19, 2002

Correction Appended

Physicists working in Europe announced yesterday that they had passed through nature's looking glass and had created atoms made of antimatter, or antiatoms, opening up the possibility of experiments in a realm once reserved for science fiction writers. Such experiments, theorists say, could test some of the basic tenets of modern physics and light the way to a deeper understanding of nature. M. Amoretti et al., Production and detection of cold antihydrogen atoms, *Nature,* vol. 419, no. 6906, pp. 456-459, 2002

Times Cited: 463





New State of Matter created at CERN

10 Feb 2000

Il vero volto dell' Universo

...Ginevra L' annunzio ufficiale verrà dato questa mattina a Ginevra: per la prima volta nella storia dell' Universo conosciuto, gli scienziati del **Cern** (Centro europeo di ricerche nucleari) sono...

di FRANCO PRATTICO

la Repubblica 10 febbraio 2000 pag. 35 sez. CULTURA

L'après-big bang recréé en laboratoire

Le Figaro - 🗎 Article, infographie - 🗟 Fabrice NODE-LANGLOIS | Créé le 10 février 2000

Une équipe de physiciens d'une vingtaine de pays présente aujourd'hui au **Cern** (1) à Genève le fruit de six années d'un travail fondamental[...]Les équipes du **Cern**[...]les atomes de plomb dans une « boule de feu », pour reprendre l'image des physiciens du **Cern**[...]Moins d'un milliardième de milliardième de seconde, estime Claude ...

la Repubblica

LE FIGARO

FERMILAB A Department of Energy National Laboratory

News Release - March 2, 1995

NEWS MEDIA CONTACTS: Judy Jackson, 708/840-4112 (Fermilab) Gary Pitchford, 708/252-2013 (Department of Energy) Jeff Sherwood, 202/586-5806 (Department of Energy)

PHYSICISTS DISCOVER TOP QUARK

NEWS RELEASE

Office of Public Affairs P.O. Box 500 Batavia, IL 60510 630-840-3351 Fax 630-840-8780 E-Mail TOPQUARK@FNAL.GOV

top quark

Elusive Atomic Particle Found by Physicists

By MALCOLM W. BROWNE Published: March 03, 1995

The New York Times

Frankfurter Allgemeine

Culminating nearly a decade of intense effort, two rival groups of physicists announced today that they had found the elusive top quark -- an ephemeral building block of matter that probably holds clues to some of the ultimate riddles of existence.

Top-Quark zweifelsfrei nachgewiesen

Standardmodell der Elementarteilchen bestätigt / Von Christoph Ettl

ZEITUNG FÜR DEUTSCHLAND FRANKFURT, 2. März. Die Existenz des sogenannten Top-Quarks ist jetzt experimentell gesichert. Dies gaben am Donnerstag Forscher vom Fermi National ...

März 1995 | Politik | 472 Wörter



ECCO IL TOP QUARK L' ULTIMO MISTERO DELLA MATERIA

...ROMA - E' ufficiale: l' ultimo mistero della materia è stato definitivamente svelato. Il top quark, la sesta e ultima particella dello "zoo" subnucleare, della cui esistenza un anno fa si erano...

Des physiciens ont déchiffré l'alphabet des particules

2 mars 1995 | . JEAN-FRANCOIS AUGEREAU. . | 431 mots

Depuis bien longtemps déjà, les chercheurs ont montré qu'il leur suffisait de disposer d'un alphabet de douze particules pour construire les mots et les phrases permettant de décrire la matière qui nous entoure : six leptons (parmi lesquels on trouve, par exemple, l'électron, composant de base de...





Giant magnet goes underground at CERN

28 Feb 2007

Geneva, 28 February 2007. At 6:00 am this morning the heaviest piece of the Compact Muon Solenoid (CMS) particle detector began a momentous journey into the experiment's cavern, 100 metres underground at CERN¹. Using a huge gantry crane, custom-built by the Vorspann System Losinger Group, the pre-assembled central piece, containing the magnet and weighing as much as five Jumbo jets (1920 tonnes) is being gently lowered into place.

DIE

02.03.2007 00:00 | Die Welt

Größter Magnet der Welt wiegt soviel wie vier Jumbo-Jets

Genf - Ein gigantischer Magnet mit dem Gewicht von vier Jumbo-Jets ist jetzt am europäischen Teilchenforschungszentrum Cern bei Genf montiert worden. Der "CMS-Detektor" ist eins von vier haushohen, ...

Network

CERN and Caltech join forces to smash Internet speed record

15 Oct 2003



CERN¹ and California Institute of Technology (Caltech ?) will tomorrow receive an award for transferring over a Terabyte of data across 7,000 km of network at 5.44 gigabits per second (Gbps), smashing the old record of 2.38 Gbps achieved in February between CERN in Geneva and Sunnyvale in California by a Caltech, CERN, Los Alamos National Laboratory and Stanford Linear Accelerator Center team.

la Repubblica

16 October 2003

The New York Times 10 November 2003

Dal Cern una connessione 20 mila volte più rapida dell'Adsl Permette di scaricare un cd musicale o un dvd in pochi istanti

Un download da record nasce l'Internet superveloce

I ricercatori: "Nel futuro, collegamenti da 10 gigabit al secondo"

di ALESSIO BALBI

IMMAGINATE di poter scaricare da Internet l'ultimo cd del vostro artista preferito in un secondo. Fantascienza? Assolutamente no. È il futuro di Internet. Domani, due scienziati del Cern e del California Institute of Technology (CalTech) saranno premiati per aver realizzato, con i rispettivi team, il più impressionante record di velocità della storia della Rete: la trasmissione di un terabyte di dati a 7 mila chilometri di distanza con una velocità media di 5,44 gigabit per secondo.

But the Europeans are racing ahead in developing faster optical networks. A CERN-Caltech team set an Internet 2 Land Speed Record recently by transferring 1.1 trillion bytes of data in less than 30 minutes.

Such transfer speeds were "not even thinkable a year ago," said Flavia Donno, the computer scientist in charge of physics experiments on the grid for CERN.

Computing?



Global Grid **service** for LHC computing succeeds in gigabyte-per-second challenge 12 Feb 2006

LHC Computing Grid Goes Online 29 Sep 2003	LHC Computing Centres Join Forces for Global Grid Challenge 25 Apr 2005
CERN awards the Italian Institute for Nuclear Physic	CERN recognizes UK's outstanding
for its role in Grid development	contribution to Grid computing
01 Dec 2004	02 Jun 2004

Let the number-crunching begin: the Worldwide LHC Computing Grid celebrates first data 03 Oct 2008 World's Largest Computing Grid Surpasses 100 Sites 15 Mar 2005

CERN launches Europe-wide tests of Grid technology 16 Sep 2002 The Grid gets real 13 Nov 2002

World's largest scientific Grid sustains a million jobs per month 25 Sep 2006 CERN Grid leadership recognized by bus

CERN Grid leadership recognized by business world 15 Sep 2006

LHC Computing Grid, October 2008

Let the number-crunching begin: the Worldwide LHC Computing Grid celebrates first data

03 Oct 2008

Geneva, 3 October 2008. Today, three weeks after the first particle beams were injected into the Large Hadron Collider—the world's largest particle accelerator—the Worldwide LHC Computing Grid celebrates the start of its crucial data challenge: the analysis and management of more than 15 million Gigabytes of data every year, to be produced from the hundreds of millions of subatomic collisions expected inside the LHC every second. This data-handling feat marks an essential stage in the process of enabling researchers to discover new physics.

Party-Stimmung beim Cern

Am Freitag wurde mit einer Feier beim Forschungszentrum Cern in Genf das "Worldwide LHC Computing Grid" offiziell in Betrieb genommen. Dieses Computernetzwerk soll jährlich 15 Millionen Gigabyte an Messdaten speichern und verarbeiten. DW

DIE

la Repubblica

Maria Grazia Pia, INFN Genova

Il Cern vara la rete globale dei computer Google Earth esplora gli abissi marini

...Al nastro di partenza la rete globale da 100.000 computer che potrebbe diventare l' Internet del futuro. Si chiama **Grid** (calcolo a griglia) ed è stata inaugurata con una cerimonia nel **Cern** di...

la Repubblica 13 ottobre 2008 pag. 31 sez. AFFARI FINANZA



HEP software

At most this is the result of searching for the words "CERN" and "software"...

Suchergebnis für "cern software"

31.07.2011 04:00 | Welt am Sonntag

Web-Urknall in der Schweiz



Nur mit Hilfe des WWW können auch Laien das Internet nutzen Das Web Die meisten Labors des Kernforschungszentrums CERN lagen in den 80er-Jahren in der Schweiz, andere in Frankreich. Sie waren über ... mehr

Scientific software in press releases

Citation analysis: 9 October 2013

(618147 papers)



S. Agostinelli et al. **Geant4: a simulation toolkit** NIM A, vol. 506, no. 3, pp. 250-303, 2003

4295 citations)

Most cited NIM paper

Most cited publication in

- Nuclear Science and Technology
- Instruments and Instrumentation
- **Particle and Fields Physics** (264075 papers) Most cited CERN publication in WoS

J. Allison et al. Geant4 Developments and Applications

IEEE Trans. Nucl. Sci., vol. 53, no. 1, pp. 270-278, 2006

969 citations

Most cited TNS paper

Many papers cite the NIM paper, but they omit citing the TNS one, even though both are indicated in <u>http://cern.ch/geant4</u>

Many papers that use Geant4 do not cite either reference

CERN press office							
Media visits	Press releases	For journalists	For CERN people	Contact us			
Search							
Enter your	keywords g	eant4 type:p	ress_release	anguage:en			
▶ Advan	ced search						
Your searc	h yielded n:	o results					
Check	if your spelli	ing is correct	En S	er your keywords arch	s "monte carlo" type:p	oress_relea	
			Advanced search				
	 Your search yielded no results Check if your spelling is correct. 						

Simulation in press releases

Putting your computer to work to fight against malaria in Africa

13 Jul 2006

Geneva, 13 July 2006. While you are sending an email or surfing the web, your computer could be helping to tackle one of Africa's major humanitarian challenges, malaria. *Africa@home* , a project conceived and coordinated by CERN¹, was launched publicly this week. It is recruiting volunteer computers in homes and offices to run a computer-intensive simulation program called MalariaControl.net², developed by researchers at the Swiss Tropical Institute (STI)³. To install MalariaControl.net, volunteers just need to download the necessary software from the Africa@home website , which will do the scientific calculations in the background, while they are doing something else. The results are regularly returned to

a server at the University of Geneva⁴, so that the researchers can evaluate them.

Preaching to the converts?



Citations of HEP physics papers mostly come from journals specialized in HEP and a few related fields (astroparticle and nuclear physics) Maria Grazia Pia, INFN Genova

30

Most recent citations MINUIT on 8 October 2013

- 1. A. K. F. Haque et al., Electron impact ionization cross-section of K-shell and H- to Be-isoelectronic series: An empirical model, **RADIATION PHYSICS AND CHEMISTRY**, vol. 91, pp. 50-59, OCT 2013
- 2. A. de Gouvea, A. C. Kobach, The lightest massive invisible particles at the LHC, **NUCLEAR PHYSICS B**, vol. 874, no. 2, pp. 399-412, SEP 2013
- 3. F. Acero et al., Constraints on the galactic population of TeV pulsar wind nebulae using Fermi large area telescope observations, **ASTROPHYSICAL JOURNAL**, vol. 773, no. 1, p. 77, AUG 2013
- B. Aharmim et al. (SNO Collaboration), Combined analysis of all three phases of solar neutrino data from the Sudbury Neutrino Observatory, PHYSICAL REVIEW C, vol. 88, no. 2, p. 025501, AUG 2013
- 5. M. Ganeshalingam et al., Constraints on dark energy with the LOSS SN Ia sample, MONTHLY NOTICES OF THE ROYAL ASTRONOMICAL SOCIETY, vol. 433, no. 3, pp. 2240-2258, AUG 2013
- 6. I. Pogrebnya et al., Mean proton and alpha-particle reduced widths of the Porter-Thomas distribution and astrophysical applications, **PHYSICAL REVIEW C**, vol. 88, no. 1, p. 015808 JUL 2013
- 7. J. E. Camargo-Molina et al., Stability of R parity in supersymmetric models extended by U(1)(B-L), **PHYSICAL REVIEW D**, vol. 88, no. 1, p. 01503, JUL 2013
- 8. A. M. Iyer et al., Warped alternatives to Froggatt-Nielsen models, **PHYSICAL REVIEW D**, vol. 88, no. 1, p. 016005, JUL 2013
- 9. C. T. Parsons et al., The impact of oscillating redox conditions: Arsenic immobilisation in contaminated calcareous floodplain soils, **ENVIRONMENTAL POLLUTION**, vol. 178, pp. 254-263, JUL 2013
- 10. J.-P. Costes et al., A Strictly Dinuclear MnIII-GdIII Complex: Synthesis and Magnetic Properties, EUROPEAN JOURNAL OF INORGANIC CHEMISTRY, no. 19, pp. 3307-3311, JUL 2013

Who uses **MINUIT**?



Source of citations





Born from LHC experimental requirements Multidisciplinary sources of citations



Source of citations

Source of citations

Based on Thomson-Reuters' Web of Science data



"You have to shout to be heard when it comes to getting science into the media and people to listen," said Professor Lythgoe. Hannah Davlin Science Editor

Hannah Devlin Science Editor Published at 12:01AM, June 7 2013

How loud to get HEP software into the media and HEP management to listen?



Among the citations of Higgs boson observation:



Review Article

Predicting the future: Towards symbiotic computational and experimental angiogenesis research

Katie Bentley^{a,b,*}, Martin Jones^a, Bert Cruys^{c,d}

^aVascular Biology Laboratory, London Research Institute, Cancer Research UK, London WC2A 3LY, UK ^bComputational Biology Laboratory, CVBR, Beth Israel deaconess Medical Center, Harvard Medical School, Boston MA 02215 USA

Most cited physics papers

 C.T. Lee, W.T Yang, R.G. Parr, Development of the Colle-Salvetti correlation-energy formula into a functional of the electron-density, *Phys. Rev. B* 37, no. 2, pp. 785-789, 1988

- Times Cited: 41831 (Physics, Condensed Matter)

- A.D. Becke, Density-functional thermochemistry .3. The role of exact exchange, *J. Chem. Phys.* 98, no. 7, pp. 5648-5652, 1993
 - Times Cited: 41315 (Physics, Atomic, Molecular & Chemical)



Web of Science champions

 U.K. Laemmli, Cleavage of structural proteins during assembly of head of bacteriophage-T4, *Nature* 227, no. 5259, p. 680, 1970

- Times Cited: 209978

- M.M. Bradford, Rapid and sensitive method for quantitation of microgram quantities of protein utilizing principle of protein-dye binding, *Anal. Biochem.* 72, no. 1-2, pp. 248-254, 1976
 - Times Cited: 148770

