



# Validation of Geant4 Electron **Pair Production by Photons**

<u>M. Begalli<sup>1</sup>, G. Hoff<sup>2</sup>, M. G. Pia<sup>3</sup>, P. G. Saracco<sup>3</sup></u>





### E > 2me (=1.022 MeV)





## **Data Analysis:**

Quantitative appraisal of capabilities and differences:

#### **Compatibility with experiment**

Goodness-of-fit test



when two high energy gamma-ray photons collide, an electron/positron oduced (the energy is converted into mass, E=mc<sup>2</sup>

**E > 4m**e

## **Pair production:**

- occurs when a photon interacts with the field of the atomic
- nucleus or with an electron from the atom (triplet production)
  - important issue in various experimental domains
  - Bethe and Heitler (1934) => theoretical model for multiple
- scattering induced radiation assuming the scatterings are
- independent (valid for energies below TeV)
- above TeV => Landau, Pomeranchuk and Migdal, the so called LPM effect.

Photon conversion models are implemented in all general-

 $\chi^2$  test α = 0.01



#### **Difference across categories**

Contingency tables Fisher exact test Barnard test  $\chi^2$  test

## **Ongoing work:**

#### Pair production is Important in all energy ranges.

The first phase of the project is focussed on the validation of total cross sections, validation of angular distributions will follow. The preliminary results shown below concern the low energy range close to the threshold.





E<3.3MeV



Geant4-standard uses a parametrization by Urban, already used in GEANT 3 Geant4-lowenergy-Livermore uses EPDL97

## **Experimental data:**

Collected from the literature:

**Experimental** cross sections

Total cross section: 162 measurements materials: AI, Fe, Ni, Cu, Ge, Se, Zr, Mo, Rh, Cd, Sn, Ce, Ta, W, Pt, Au, Pb, Bi, U

### Format

Tables, text

Figures: digitized, digitization error estimated

## Evaluation of experimental data

Systematic effects: identified whenever possible Outliers

EPDL, Geant4-Standard and XCOM

**Preliminary** 

comparison

experimental

between

data near

## Preliminary

Relative difference

EPDL => compatible with experimental data starting from approximately 100 keV above the threshold (p-value of the  $\chi^2$  test > 0.05) Geant4 standard fail (p-value < 0.001) NIST XCOM Penelope (based on XCOM)



"Beyond Imagination of Future Science"